



TAKTILNA VODILJA OD NERĐAJUĆEG ČELIKA

Pojedinačne taktilne trake vodilje / u obliku uzdužnih rebara su napravljene od nerđajućeg čelika.i osiguravaju dugotrajne stabilne performanse. Odlikuje ih : dobra otpornost na koroziju, abraziju,odlična otpornost na sve vremenske uslove,sunčevu svetlosti/UV/ i oksidaciju.

Taktilne trake vodilje izrađene su za tiplsto postavljanje ili lepljenje sa raznim dizajnom aisa mogućunošću umetanjem plastičnog umetka


Sistem se već dobro pokazao u železničkim stanicama, bankama, univerzitetima, ulaznim površinama,trgovima,javnim površinama.

Karakteristike:

- Minimalan uticaj na osoblje / pešake tokom instalacije
- Brza i jednostavna instalacija pomoću šablonu na svim površinama, uključujući beton, keramičke pločice, asfalt, drvene podove i većinu drugih površina
- Gornja površina sigurna i neklizajuća
- Dugotrajne performanse proizvoda, otporne na udarce
- Niski zahtevi za održavanje
- Kretanje moguće odmah nakon ugradnje, punim opterećenjem nakon 24 sata
- Njihova modularnost i univerzalnost dozvoljava beskrajne konfiguracije za prilagođavanje novim ili postojećim površinama i stilovima dizajna
- Izrađuju se u dve standarde debljine od 3,5 i 5 mm, što osigurava kretanje bez prepreke i opasnosti na putu
- Nerđajući čelik obezbeđuje stabilnost i izdržljivost proizvoda unutar i na otvorenom



AISI/PD



AISI/P1



AISI/P1-P



AISI/P1-P



AISI/P1-P



AISI/P1-P




AISI/P2-P



AISI/P2-P



AISI/P2-P



AISI/P2-P

PD



MODEL	DIMENSION	HEIGHT	PRODUCT	WEIGHT	MATERIAL
AISI/PD	35x280mm	5mm	with pin	280g	stainless steel
	35x280mm	5mm	without pin	276g	stainless steel

P1



MODEL	DIMENSION	HEIGHT	PRODUCT	WEIGHT	MATERIAL
AISI/P1	35x280mm	5mm	with pin	280g	stainless steel
	35x280mm	5mm	without pin	276g	stainless steel

P1-P











MODEL	DIMENSION	HEIGHT	PRODUCT	WEIGHT	MATERIAL
AISI/P1-P	35x280mm	5mm	with pin	280g	stainless steel
	35x280mm	5mm	without pin	276g	stainless steel
	35x280mm	3,5mm	with pin	280g	stainless steel
	35x280mm	3,5mm	without pin	276g	stainless steel
	16x280mm	3mm	with pin	140g	stainless steel
	16x280mm	3mm	without pin	135g	stainless steel



P2-P



MODEL	DIMENSION	HEIGHT	PRODUCT	WEIGHT	MATERIAL
AISI/P2-P	35x280mm	5mm	with pin	280g	stainless steel
	35x280mm	5mm	without pin	276g	stainless steel
	35x280mm	3,5mm	with pin	280g	stainless steel
	35x280mm	3,5mm	without pin	276g	stainless steel

TEHNIČKI CRTEŽ





BioClean d.o.o. Sremska 32 11276 Beograd
Kontakt tel.: +381 60 66 99 769
Email.: cleantotouch@gmail.com