



# TPU-LINE



**Poliuretanske taktilne vodilje**



## TAKTILNA VODILJA OD POLIURETANA

Pojedinačne taktilne trake vodolje / u obliku uzdužnih rebara su napravljene od poliuretana i osiguravaju dugotrajne stabilne performanse. Odlikuje ih : dobra otpornost na kiseline protivpožarnost, odlična otpornost na sve vremenske uslove, sunčevu svetlosti/UV/ i oksidaciju.

Taktilne trake vodilje izrađene su za tiplasto postavljanje, lepljenjem ili samolepljive sa raznim dizajnom i bojom.

Sistem se dobro pokazao kod železničkih stanica, bankama, poštama, univerzitetima, ulaznim površinama, trgovima, javnim površinama.

### Karakteristike:

- Minimalan uticaj na osoblje / pešake tokom instalacije
- Brza i jednostavna instalacija pomoću šablonu na svim površinama, uključujući beton, keramičke pločice, asfalt, drvene podove i većinu drugih površina
- Gornja površina sigurna i neklizajuća
- Dugotrajne performanse proizvoda, otporne na udarce
- Niski zahtevi za održavanje
- Kretanje moguće odmah nakon ugradnje, punim opterećenjem nakon 24 sata
- Njihova modularnost i univerzalnost dozvoljava beskrajne konfiguracije za prilagođavanje novim ili postojećim površinama i stilovima dizajna
- Izrađuju se u dve standarde debljine od 3,5 i 5 mm, što osigurava kretanje bez prepreke i opasnosti na putu
- Nerđajući čelik obezbeđuje stabilnost i izdržljivost proizvoda unutar i na otvorenom




## TPU/P1



## TPU/P2





#### TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDELINES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT
TPU/P2	35mm	295mm	5mm	56g	with pin
	35mm	295mm	5mm	56g	without pin
	35mm	295mm	5mm	56g	self-adhesive
	35mm	295mm	3,3mm	50g	with pin

#### TPU-LINE / INDIVIDUAL TACTILE SURFACE GUIDELINES

MODEL	WIDTH	LENGTH	HEIGHT	WEIGHT	PRODUCT	MATERIAL
TPU/P1	35mm	500mm	3mm	70g	without pin	polyurethane
	35mm	500mm	3mm	70g	self-adhesive	polyurethane

